



BLUESYSTEM

Controllable LED running lights



BLUEDOME

Elegant, dimmable worklight



BlueDome

Don't get caught in the dark during your show. BlueDome provides dimmable, omni-directional LED light to gently illuminate stairwells, lobbies, wing spaces, and seating areas.



BlueDomes are available in multiple finishes. The frosted dome emits a bright, clear light for maximum illumination, while the semi-opaque dome creates a subtler glow that illuminates without drawing the eye.




Eyelid Accessory

BlueDomes keep a low profile. The optional snap-on eyelid accessory ensures that your BlueBeams provide safe illumination while conforming to the design needs of your venue.



BLUEBEAM

Directional worklight, just where you need it



BlueBeam

Take control of your backstage lighting. This dimmable, directional LED BlueBeam is perfect for loading galleries, upstage crossovers, scenery docks, fly rails and other backstage spaces.



With 2.5-, 5-, 10-, 20- and 50-degree beam angles, BlueBeam can illuminate tight spaces or long throws up to 50 feet. BlueBeam comes in white and black color options to blend into any behind the scenes environment.



Cowl Accessory

Keep your running light backstage where it belongs. BlueBeam offers an optional, snap-on cowl accessory that prevents unwanted light spill onstage or in the house.



INSTALLATION



LV Power Supplies

BlueDome and BlueBeam luminaires operate in conjunction with the BluesSystem LV Power Supply. Drivers are available in two sizes, so you can build a system that works for your venue.

One-Zone LV Power Supply

This wall-mounted unit is available in either DMX or switched control versions, driving one zone of 10 BluesSystem luminaires.



Six-Zone LV Power Supply

This wall- or rack-mount unit is available in DMX, switched and 0-10V control versions, driving six zones of 10 BluesSystem luminaires.



Installation

BluesSystem luminaires ship with custom plates that attach to standard backboxes, allowing for easy installation on walls, ceiling or conduit.





Corporate Headquarters ■ 3031 Pleasant View Rd, PO Box 620979, Middleton WI 53562 0979 USA ■ Tel +1 608 831 4116

London, UK ■ Unit 26-28, Victoria Industrial Estate, Victoria Road, London W3 6UU, UK ■ Tel +44 (0) 20 8896 1000

Rome, IT ■ Via Pieve Torina, 48, 00156 Rome, Italy ■ Tel +39 (06) 32 111 683

Holzkirchen, DE ■ Ohmstrasse 3, 83607 Holzkirchen, Germany ■ Tel +49 (80 24) 47 00-0

Hong Kong ■ Room 1801, 18/F, Tower 1 Phase 1, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong ■ Tel +852 2799 1220

Web ■ www.etcconnect.com ■ Copyright©2015 ETC. All Rights Reserved. All product information and specifications subject to change. 7492L1002 Rev. A 10/15