

# Safety Data Sheet

Effective date 01 June 2015

---

## 1- IDENTIFICATION, PRODUCT AND COMPANY

**Product name:**

Artists Choice Paints 7724, 7725, 7727

**Product use:**

Liquid paint

**Manufacturer:**

Sculptural Arts Coating, Inc.

P.O. Box 10546

Greensboro, NC 27404

**Internet:**

www.sculpturalarts.com

**Emergency phone:**

(336) 851-0355

---

## 2- HAZARDS IDENTIFICATION

**OSHA/HCS Status:**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**GHS classification:**

CARCINOGENICITY – Category 1

Percentage of the mixture consisting of ingredients of unknown toxicity: < 5%

**Hazard pictogram:**



**Signal word:**

Warning

**Hazard statement:**

Suspected of causing cancer.

**Precautionary statements:**

Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label on hand. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. If exposed or concerned: Get medical attention.

---

**Storage:**

Store locked up.

---

**Disposal:**

Dispose of contents and container in accordance with all local, regional, national and international regulations.

---

**Supplemental label elements**

Adequate ventilation required when sanding or abrading the dried film. If adequate ventilation cannot be provided wear an approved particulate respirator (NIOSH approved). Follow respirator manufacturer's directions for use. DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE. Abrading or sanding of the dry film may release crystalline silica which has been shown to cause lung damage and cancer under long term exposure. WARNING: This product contains chemicals known to the State of California to cause cancer. Please refer to the SDS for additional information.

---

**3- COMPOSITION, INFORMATION ON INGREDIENTS****Components:**

Mixture

**CAS number/other identifiers**

<b>Ingredient Name</b>	<b>% by weight</b>	<b>CAS number</b>
Titanium dioxide	4%	13463-67-7
MICA	6%	12001-26-2
Quartz	0.14-0.15%	14808-60-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

---

**4- FIRST AID MEASURES****Description of necessary first aid measures**

**Eye contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

**Skin contact:**

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Inhalation:**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Ingestion:**

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so the vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing.

**Most important symptoms /effects, acute and delayed**

**Potential acute health effects -**

**Eye contact:**

No known significant effects or critical hazards.

**Skin contact:**

No known significant effects or critical hazards.

**Inhalation:**

No known significant effects or critical hazards.

**Ingestion:**

No known significant effects or critical hazards.

**Over exposure signs/symptoms -**

**Eye contact:**

No specific data.

**Skin contact:**

No specific data.

**Inhalation:**

No specific data

**Ingestion:**

No specific data.

**Indications for immediate medical attention and special treatment needed if necessary-**

**Notes to physician:**

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatment:**

No specific treatment.

**Protection of first-aiders:**

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

**See toxicological information (section 11)**

---

## 5- FIRE FIGHTING MEASURES

**Extinguishing media:**

Use an extinguishing agent suitable for the surrounding fire.

**Special Hazards:**

In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products:**

Decomposition products may include the following materials:

- Carbon dioxide
- Carbon monoxide
- Metal oxide/oxides

**Protective measures:**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

---

**6- ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment, and emergency procedures:****Non-emergency personnel:**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**Emergency responders:**

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**Environmental precautions:**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the authorities if there is environmental pollution.

**Methods and materials for containment and clean up:****Small spill:**

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

**Large spill:**

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, or confined areas. Contain and collect spillage and place in container for disposal according to regulations.

---

**7- HANDLING AND STORAGE****Precautions for safe handling:****Protective measures**

Put on appropriate personal protective equipment (see Section 8). Avoid exposure – obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If

during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from compatible material, kept tightly closed. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Advice on general occupational hygiene**

Eating, drinking, and smoking should be prohibited in areas where this material is handled. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information.

**Conditions for safe storage:**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area, away from food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

---

## 8- EXPOSURE CONTROLS, PERSONAL PROTECTION

**Control Parameters:**

**Occupational exposure limits**

<b>Ingredient name</b>	<b>Exposure limits</b>
Titanium dioxide	ACGIH TLV (United States, 4/2014) TWA: 10mg/m <sup>3</sup> 8 hours OSHA PEL (United States, 2/2013) TWA: 15mg/m <sup>3</sup> 8 hours Form: total dust
MICA	ACGIH TLV (United States, 4/2014) TWA: 3mg/m <sup>3</sup> 8 hours OSHA PEL (United States, 2/2013) TWA: 3mg/m <sup>3</sup>
Quartz	ACGIH TLV (United States, 4/2014) TWA: 0.025mg/m <sup>3</sup> 8 hours OSHA PEL Z3 (United States, 2/2013) TWA: 250MPPCF/ (%SiO <sub>2</sub> +5) 8 hour Form: respirable

**Engineering controls:**

Ensure adequate ventilation, especially in confined areas to keep worker exposure to airborne contaminants below any recommended or regulatory limits.

**Individual protection measures:**

**Hygiene measures:**

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse

**Eye/face protection:**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses.

**Skin protection:****Hand protection:**

Use impermeable gloves.

**Body protection:**

Selected based on the task being performed and the risks involved before handling this product.

**Respiratory protection:**

Use a properly fitted, air-purifying respirator complying with an approved standard if a risk assessment indicates this is necessary.

---

## 9- PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:**

Liquid

**Odor:**

Not available

**Odor threshold:**

Not available

**pH:**

Not available

**Melting point:**

Not available

**Boiling point:**

F212

**Flash point:**

Not flammable

**Evaporation rate**

.09 (butyl acetate=1)

**Flammability:**

Not available

**Explosive limits:**

Not available

**Vapor pressure:**

Not available

**Vapor density:**

1 (Air = 1)

**Relative density:**

1.12

**Solubility:**

Not available

**Partition coefficient: n-octanol/water**

Not available

**Auto ignition temperature:**

Not available

**Decomposition temperature:**

Not available

**Viscosity:**

Not available

---

**10- STABILITY AND REACTIVITY**

**Reactivity:**

No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability:**

This product is stable.

**Possibility of hazardous reactions:**

Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid:**

No specific data.

**Incompatible materials:**

No specific data.

**Hazardous decomposition products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

---

**11- TOXICOLOGICAL INFORMATION**

**Acute toxicity:**

Not available

**Skin corrosion / Irritation:**

Not available

**Sensation:**

Not available

**Mutagenicity:**

Not available

**Carcinogenicity:**

Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Not available

**Classification:**

<u>Name</u>	<u>OSHA</u>	<u>IARC</u>	<u>NTP</u>
Titanium dioxide	---	2B	----

**Reproductive toxicity:**

Not available

**Teratogenicity:**

Not available

**Specific target organ toxicity single exposure:**

Not available

**Specific target organ toxicity repeated exposure:**

Not available

**Aspiration hazard:**

Not available

**Likely routes of exposure:**

Not available

**Potential acute health effects:**

**Eye contact:**

No known significant effects or critical hazards

**Skin contact:**

No known significant effects or critical hazards

**Inhalation:**

No known significant effects or critical hazards

**Ingestion:**

No known significant effects or critical hazards

**Symptoms related to the physical chemical and toxicological characteristics:**

**Eye contact:**

No specific data

**Skin contact:**

No specific data

**Inhalation:**

No specific data

**Ingestion:**

No specific data

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure:**

**Potential immediate effects:**

Not available

**Potential delayed effects:**

Not available

**Long term exposure:**

**Potential immediate effects:**

Not available

**Potential delayed effects:**

Not available

**Potential chronic health effects:**

**General:**

No known significant effects or critical hazards

**Mutagenicity:**

No known significant effects or critical hazards



**Carcinogenicity:**

May cause cancer. Risk of cancer depends on duration and level of exposure

**Teratogenicity:**

No known significant effects or critical hazards

**Developmental:**

No known significant effects or critical hazards

**Fertility effects:**

No known significant effects or critical hazards

**Numerical measures of toxicity:**

Not available

**Acute toxicity estimates:**

Not available

---

**12- ECOLOGICAL INFORMATION****Toxicity:**

Titanium dioxide - Acute LC50>1000000ug/l Marine water -Fish- Fundulus heteroclitus - 96 hours

**Persistence and degradability:**

Not available

**Bioaccumulation potential:**

Titanium dioxide

**Mobility in soil:**

Not available

**Other adverse effects:**

No known significant effects or critical hazards

---

**13- DISPOSAL CONSIDERATIONS****Disposal methods:**

The generation of waste should be avoided or minimized wherever possible. Disposal of the product, solutions and any by-product should at all time comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of untreated and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should not be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some products residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

---

**14- TRANSPORTATION INFORMATION****UN or DOT number:**

Not regulated

**UN proper shipping name:**

Not regulated

**Transport hazard classes:**

Not regulated

**Packing group:**

Not regulated

**Environmental hazards:**

Not regulated

**Special precautions for user:**

Not dangerous according to transport regulations

---

**15- REGULATORY INFORMATION**

**US Federal Regulations:**

- **Toxic Substance Control Act**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the US

No TSCA 12(b) components exist in this product

- **SARA Section 313**

This product contains the following substances subject to the reporting requirements of section 313 of title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372

No SARA 313 components exist in this product

- **CERCLA Hazard Category**

This product has been reviewed according to EPA Hazard Categories promulgated under 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under application definitions, to meet the following categories.

None known.

**North American Regulations:**

- **California proposition 65 reproductive toxins**

The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards

None known

- **California proposition 65 carcinogens**

Warning: This product contains chemicals known to the state of California to cause cancer

---

## 16- OTHER INFORMATION

### HMIS Ratings

Health: 1

Flammability: 0

Reactivity: 0

Personal Protection:

Volatile organic compounds GR/LTR: <50

Date of preparation – 06/01/2015

This version replaces all previous versions

The information on this safety data sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product, or where instructions and recommendations are not followed. The user assumes all risks incident to the use of the product and must communicate to employees and customers all warnings that relate to the potential exposure to this product. It is the responsibility of the user to comply with all Federal, State, and Local laws, regulations, and ordinances, and to assure that all workplace and disposal practices are in compliance with such. ALL WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY EXCLUDED. IN NO EVENT SHALL THE SUPPLIER BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.