SAFETY DATA SHEET



1. Identification

Product identifier	Luminous 7 Haze			
Other means of identification	Not available.			
Recommended use	Theatrical Haze			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier Manufacturer	Distributor information			
Company name Address	Ultratec Special Effects 1960 Blue Heron Drive London ON N6H 5L9 Canada			
Telephone	Local: Toll Free:	1-519-659-7972 1-800-388-0617		
Website	www.ultratecfx.com			
E-mail	customerservice@ultrate@	cfx.com		
Emergency phone number	ChemTel:	1-800-255-3924		
Supplier	See above.			
	2. Haza	ard identification		
Physical hazards	Not classified.			
Health hazards	Not classified.			
Environmental hazards	Not classified.			
WHMIS 2015 defined hazards	Not classified			
_abel elements				
Hazard symbol	None.			
Signal word	None.			
Hazard statement	The mixture does not meet the criteria for classification.			
Precautionary statement				
Prevention	Observe good industrial h	nygiene practices.		
Response	Wash hands after handling.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of waste and res	idues in accordance w	ith local authority requiremer	nts.
WHMIS 2015: Health Hazard(s) not otherwise classified HHNOC)	None known			
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known			
Hazard(s) not otherwise classified (HNOC)	None known.			
Supplemental information	Not applicable.			
	3. Composition/I	nformation on ing	gredients	
Mixture				
Chemical name	Common name and	synonyms	CAS number	%
Glycerol			56-81-5	65-85*
Composition comments	secret in accordance with	paragraph (i) of §1910	of composition has been wit 0.1200. tration) of composition has b	

4. First-aid measures		
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.	
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation develops or persists.	
Eye contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention if irritation develops or persists.	
Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious or is convulsing.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.	

	5. Fire-fighting measures
	5. File-lighting measures
Suitable extinguishing media	Treat for surrounding material.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self-contained breathing apparatus.
Fire-fighting equipment/instructions	Cool containers with flooding quantities of water until well after fire is out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Hydrogen chloride.
	6. Accidental release measures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
	7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.	
Conditions for safe storage, including any incompatibilities	Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.	
8. Exposure controls/Personal protection		

Occupational exposure limits					
Canada. Alberta OELs (Occupati Components	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Components Type Value Form				
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.		

Safety Regulation 296/97, as Components	Туре	Value	Form
Glycerol (CAS 56-81-5)	TWA	3 mg/m3 10 mg/m3	Respirable mist. Mist.
	ELs: Threshold Limit Values (TLVs) Bask K Regulation 91-191), as amended	sed on the 1991 and 1997 /	ACGIH TLVs and BEIs
Components	Туре	Value	Form
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Canada. Quebec OELs. (Mir Components	nistry of Labor - Regulation respecting Type	occupational health and s Value	afety) Form
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
	_s (Occupational Health and Safety Re	-	
Components	Type	Value	Form
Glycerol (CAS 56-81-5)	15 minute	20 mg/m3	Mist.
	8 hour	10 mg/m3	Mist.
	-	C C	
Components	for Air Contaminants (29 CFR 1910.100 Type	Value	Form
Glycerol (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFF	र 1910.1000)	· ·	
Components	Туре	Value	Form
Glycerol (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
logical limit values	No biological exposure limits noted for	the ingredient(s).	
osure guidelines	Chemicals listed in section 3 that are no ACGIH or OSHA PEL.	ot listed here do not have es	tablished limit values for
propriate engineering trols	General ventilation normally adequate.		
	such as personal protective equipment	nt	
Eye/face protection	Safety glasses recommended.		
Skin protection	If there is constant align contact, rubbar	alouas are recommended	
Hand protection	If there is constant skin contact, rubber	gioves are recommended.	
Other	As required by employer code.	n is maintained Where ever	ouro quidolino lovolo mov b
Respiratory protection	Not normally required if good ventilation exceeded, use an approved NIOSH res		isure guideline levels may b
Thermal hazards	Not available.		
eral hygiene siderations	Wash hands before breaks and immed good industrial hygiene and safety prac	iately after handling the proc ctice. When using do not eat	luct. Handle in accordance or drink.
	9. Physical and chemica	al properties	
earance	Clear		
sical state	Liquid.		
m	Liquid		
or	Colorless		
	no odour		
or			
or or threshold	Not available.		
	Not available. Neutral		
or threshold	Neutral		
or threshold ting point/freezing point al boiling point and boiling	Neutral Not available.		

Partition coefficient (n-octanol/water)	Not available.		
Flash point	> 390.2 °F (> 199.0 °C) Tag Closed Cup		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	> 1 (Air=1)		
Relative density	1.21 (H2O=1)		
Solubility(ies)	Complete		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
	10. Stability and reactivity		
Reactivity	May react with incompatible materials.		
Possibility of hazardous	Hazardous polymerization does not occur.		
reactions			
Chemical stability	Stable.		
Conditions to avoid	Avoid temperatures exceeding the flash point. Do not mix with other chemicals.		
Incompatible materials	Acids. Oxidizers.		
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Hydrogen chloride.		
	11. Toxicological information		
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.		
Information on likely routes of e	xposure		
Ingestion	May cause stomach distress, nausea or vomiting.		
Inhalation	No adverse effects due to inhalation are expected.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	No adverse effects due to eye contact are expected.		
Symptoms related to the physical, chemical and toxicological characteristics	There are no hazards associated with this product in normal use.		
Information on toxicological effe	ects		
Acute toxicity			
Components	Species	Test Results	
Glycerol (CAS 56-81-5) Acute			
Dermal LD50	Guinea pig	56750 mg/kg, ECHA	
Inhalation LC50	Rat	275000 mg/m³, 4 hours, ECHA	
		o , , <u>-</u>	
Oral			
	Rat	11500 mg/kg, ECHA	
Oral	Rat Not expected to be a primary skin irritant. Prolonge		
Oral LD50			
Oral LD50 Skin corrosion/irritation	Not expected to be a primary skin irritant. Prolonge		

Serious eye damage/eye irritation	Direct contact	with eyes may cause temporary irritation	on.	
Corneal opacity value	Not available.			
Iris lesion value	Not available.			
Conjunctival reddening value	Not available.			
Conjunctival oedema value	Not available.			
Recover days	Not available.			
Respiratory or skin sensitizatio	n			
Canada - Alberta OELs: Irrit	tant			
Glycerol (CAS 56-81-5)		Irritant		
Respiratory sensitization	Not available.			
Skin sensitization	This product is	s not expected to cause skin sensitization	on.	
Mutagenicity	Non-hazardou	is by WHMIS/OSHA criteria.		
Carcinogenicity	Non-hazardou	is by WHMIS/OSHA criteria.		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1052)		
Not listed.	·	,		
Reproductive toxicity	Non-hazardou	is by WHMIS/OSHA criteria.		
Teratogenicity	Non-hazardou	is by WHMIS/OSHA criteria.		
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not classified.			
Chronic effects	Non-hazardou	is by WHMIS/OSHA criteria.		
		12. Ecological information		
Ecotoxicity			rdous. However, this does not exclude the mful or damaging effect on the environment.	
Ecotoxicological data Components		Species	Test Results	
Glycerol (CAS 56-81-5)				
Aquatic	1.050		54000 57000 // 001	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/L, 96 hours	
Persistence and degradability	No data is ava	ailable on the degradability of this produ	ct.	
Bioaccumulative potential	No data availa	able.		
Mobility in soil	No data availa	able.		
Mobility in general	Not available.			
Other adverse effects			lepletion, photochemical ozone creation tial) are expected from this component.	
13. Disposal considerations				
Disposal instructions		al, state/provincial, and local governmer bose in sealed containers at licensed wa	nt requirements prior to disposal. Collect and aste disposal site.	
Local disposal regulations	Dispose in ac	cordance with all applicable regulations		
Hazardous waste code	The waste coo disposal comp		tween the user, the producer and the waste	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging			ste handling site for recycling or disposal. , follow label warnings even after container is	
		14. Transport information		
Transport of Dangerous Goods (TDG) Proof of Classification		Method: Classified as per Part 2, Section bods Regulations. If applicable, the tec	ons 2.1 – 2.8 of the Transportation of hnical name and the classification of the	

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

	15. Regulatory information	
Canadian federal regulations	This product has been classified in accordance with the haz contains all the information required by the HPR.	ard criteria of the HPR and the SDS
Canada Priority Substance	s List (Second List): Listed substance	
Glycerol (CAS 56-81-5)	Listed.	
Export Control List (CEPA	1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed. Precursor Control Regulati	ons	
Not regulated.		
WHMIS 2015 Exemptions	Not applicable	
US federal regulations	This product is not known to be a "Hazardous Chemical" as Communication Standard, 29 CFR 1910.1200.	defined by the OSHA Hazard
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Subst	ance List (40 CFR 302.4)	
Not listed. SARA 304 Emergency relea	aco notification	
Not regulated.		
5	ed Substances (29 CFR 1910.1001-1052)	
Not listed.		
Superfund Amendments and R	eauthorization Act of 1986 (SARA)	
SARA 302 Extremely	No	
hazardous substance		
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
US state regulations	This product does not contain a chemical known to the State defects or other reproductive harm.	e of California to cause cancer, birth
US - Minnesota Haz Su		
Glycerol (CAS 56-8	1-5) Listed. eening Levels: Listed substance	
Glycerol (CAS 56-8	-	
US. Massachusetts RT	•	
Glycerol (CAS 56-8	1-5)	
US. New Jersey Worke	r and Community Right-to-Know Act	
Glycerol (CAS 56-8 US. Pennsylvania Wor l	1-5) ker and Community Right-to-Know Law	
Glycerol (CAS 56-8	1-5)	
US. Rhode Island RTK		
Glycerol (CAS 56-8		
US. California Proposition Not Listed.	65	
Inventory status		
Country(s) or region	Inventory name	On inventory (yes/no)
Canada	Domestic Substances List (DSL)	Ye
Canada	Non-Domestic Substances List (NDSL)	N

Toxic Substances Control Act (TSCA) Inventory

Yes

United States & Puerto Rico *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

Severe4 Serious5 Moderate7 E Slight7 HYSICAL HAZARD0 P PHYSICAL HAZARD1 O PERSONAL PROTECTION1 O PERSONAL PROTECTION1 O P POTECTION1 O O PERSONAL PROTECTION1 O O PERSONAL PROTECTION1 O O PERSONAL PROTECTION1 O O Disclaimer0DisclaimerThe information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.Issue date31-March-2022Version #02Effective date23-March-2022Prepared byDell Tech Laboratories, Ltd. Phone: (519) 858-5021Further informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.Other informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.	LEGEND	HEALTH / 1
Moderate 2 Slight 1 Minimal 0 Disclaimer The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. Issue date 31-March-2022 Version # 02 Effective date 23-March-2022 Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021 Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document. Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the	Severe 4	
Minimal0PROTECTIONXDisclaimerThe information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.Issue date31-March-2022Version #02Effective date23-March-2022Prepared byDell Tech Laboratories, Ltd. Phone: (519) 858-5021Further informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.Other informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the	Moderate 2	
available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.Issue date31-March-2022Version #02Effective date23-March-2022Prepared byDell Tech Laboratories, Ltd. Phone: (519) 858-5021Further informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.Other informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the		
Version #02Effective date23-March-2022Prepared byDell Tech Laboratories, Ltd. Phone: (519) 858-5021Further informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.Other informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the	Disclaimer	available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained
Effective date23-March-2022Prepared byDell Tech Laboratories, Ltd. Phone: (519) 858-5021Further informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.Other informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the	Issue date	31-March-2022
Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021 Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document. Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the	Version #	02
Further informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.Other informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the	Effective date	23-March-2022
Other informationFor an updated SDS, please contact the supplier/manufacturer listed on the first page of the	Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021
	Further information	
	Other information	