



*ChamSys*

Inspiring Performance

**MagicQ**

The award-winning MagicQ Stadium range operates at the highest level of show control.

# Greatness Awaits

## Reach for it.

MagicQ MQ500 Stadium  
2017 Prolight + Sound  
International Press Award





CHAMMQ500200WITHCASE

Flight Case Included  
See page 23

## MagicQ MQ500 Stadium Console

The MagicQ MQ500 Stadium supports 200 universes direct from the console without the need for external processing. MagicQ MQ500 Stadium is designed for high performance and complex shows. Its features allow shows to be designed from concept to reality. That includes lighting, media, and LEDs. You can even generate light plots.

MQ500 Stadium features dual multi touch 15" displays in full HD with adjustable viewing angle and gesture support. It has the largest number of playbacks in the ChamSys family, with 42 playbacks made up of both fader and executor playbacks for live busking. This includes 15 full faders, 15 executable playbacks, and a dedicated section of 12 multipurpose Macro/Execute/Playbacks/Palette keys. For additional control, connect a MagicQ Stadium Wing to get even more playbacks and another touchscreen display as well.

The MQ500 Stadium has inbuilt MagicVis 3D visualiser with high quality beam and gobo rendering. This means you can preprogram a new song, create new effects offline, and save time onsite.

The MQ500 Stadium has 4 built-in DMX ports and an inbuilt 4 port Ethernet switch.

This versatile console also includes an intensity wheel and 100mm split crossfaders for theatre control.

<b>Universes: 200</b>	<b>Channels: 102,400 (32,768 standard)</b>	<b>Number of fixtures: Up to 102,400 (32,768 standard)</b>
<b>Cues: 5000</b>	<b>Cue stacks: 2000</b>	<b>Palettes: 4096</b>
<b>Groups: 5000</b>	<b>Numbers of shows: Virtually unlimited</b>	<b>Encoders: 8</b>
<b>Faders: 18</b>	<b>Direct DMX ports: 4</b>	<b>Network ports: 4</b>
<b>External Monitor: Up to 1920x1200 - DVI-D</b>	<b>USB ports: 5 (including 1 on front panel for easy access)</b>	<b>Audio input (1 channel, 7 band)</b>
<b>MIDI Notes in/out</b>	<b>LTC in/out</b>	<b>Inbuilt UPS</b>
<b>Dual Colour Desk Lamp</b>	<b>Illuminated soft buttons</b>	<b>Dust cover</b>
<b>Power Input: 110 to 240 VAC</b>	<b>Width: 860mm (37")</b>	<b>Depth: 587mm (26.4")</b>
<b>Height: 85mm (3.3") (high at front, 188mm (7.4") high at rear (screens stored)</b>	<b>Weight: 28kg (61.7lb)</b>	<b>Weight (console in flightcase): 50kg (110lb)</b>



CHAMMQSTPLWINGWITHCASE

Flight Case Included  
See page 23

## MagicQ Stadium Wing

The MagicQ Stadium Wing is the latest, most advanced ChamSys wing designed to operate at the highest level of show control, built to work in tandem with the MagicQ MQ 500 Stadium console or MQ80 Compact console.

The MagicQ Stadium Wing is packed with useful technology to enhance the show programming and playback process. It features 30 Playbacks which are separately pageable as 15 Fader Playbacks and 15 Execute Playbacks. All Playbacks feature full electronic legending on screen.

It also has 4 Encoders which are multi purpose. They can be assigned functions from the Execute and other MagicQ Windows to enhance playback performance.

The Wing incorporates a full HD multi touch display with adjustable viewing angle and gesture support. The display connects directly to the video output from a MagicQ MQ500 or from a MagicQ MQ80. Any MagicQ Window can be transferred to the display on the Stadium Wing.

In addition to all the human/machine interface tools it provides, the MagicQ Stadium Wing also facilitates communication between the console and the lighting rig. It includes 4 DMX outputs, which expand the number options on how to connect all the lights to the console. It also has an inbuilt UPS for added reliability.

The MagicQ Stadium Wing connects to the MagicQ console via a locking Neutrik USB cable.

Inbuilt 15" display	110 to 240 VAC input via powercon	Power input: 110 to 240 VAC
Full HD 1920x1080 resolution	Inbuilt UPS	4 DMX ports
1 Neutrik locking USB for connection to console	Encoders: 4	Faders: 15
Executes: 15	Direct DMX ports: 4	Connect to MagicQ Stadium MQ500 console
Connect to MagicQ MQ80 Compact console	Connect to Windows PC running MagicQ	Multi touch with gesture support
Modular design for easier maintenance	Comfortable arm rest	Dual Colour Desk lamp
Illuminated soft buttons	Dust cover	Width: 471mm (18.5")
Depth: 587mm (23.1")	Height: 85mm (3.3") high at front, 188mm (7.4") high at rear	Weight: 13kg (28.7lb)



## Focus Hold

Focus Hold enables focusing of moving fixtures direct from the Plot view onto a single point, massively reducing the time taken to create position focuses and enabling easy live tracking of artists' position.



## Focus Line

Focus Line enables even more powerful looks to be created by automatically aligning selected fixtures to a flexible line on the plot adjustable in position, orientation, and length - this, for example, enables a group of lights to be fanned across the complete downstage edge at the touch of a button, regardless of the physical orientation of the fixtures in the rig.



## Visualisation

MagicQ Stadium consoles have in-built MagicVis 3D visualiser with high quality beam and gobo rendering.




## Compatibility

ChamSys believes that it is important for Lighting Designers to be able to move between different MagicQ consoles and different MagicQ software versions, without having complicated import and export procedures.



## Pixel Mapping

MagicQ Stadium consoles enable 3D pixel mapping direct from console.



MagicQ Compact range features small and lightweight consoles designed specifically for traveling lighting designers.

# Compact **Impact**



## MagicQ MQ80 Compact Console

The MagicQ MQ80 is an extremely powerful console in a small size, supporting 24 universes direct from the console, but still fits within checked luggage restrictions.

It has a large 12" central touch screen which provides easy access to all MagicQ features. The high resolution display can display screens such as plot window where fixtures can be selected and focused graphically.

MagicQ MQ80 features the same software found in all MagicQ consoles and uses the same show formats, enabling compatibility between all MagicQ products. MagicQ MQ80 can be connected over network to a PC or Mac running the free ChamSys free MagicVis lighting visualisation software running or MagicHD media player software (for output of up to 8 layers of HD media) at no extra cost.

The construction of the MagicQ MQ80 incorporates high reliability components, including durable metal Neutrik locking connectors. As with other MagicQ consoles, the in-built 4 port Ethernet switch is protected by the UPS, thus ensuring that both the console and the network switch maintain operation even during a power loss.

The console features an in-built power supply and UPS that is compatible with voltages from all over the world and a Kensington security slot for securing the product. Both soft bags and flight cases are available as optional extras.



CHAMMQ80

Optional Flight Case  
See page 22

Universes: 24	Channels: 12288	Number of fixtures: Up to 12288
Cues: 5000	Cue stacks: 2000	Palettes: 4096
Groups: 5000	Numbers of shows: Virtually unlimited	Direct DMX ports: 4
Network ports: 4	External monitor: Up to 1920x1200	Internal monitor resolution: 1280x800
USB ports: 6 (including 1 on front panel for easy access)	Audio input (1 channel, 7 band)	MIDI Notes + Timecode in/out
LTC input	Inbuilt UPS	1 Dual Colour Dimmable LED Console Lamp
Encoders: 8	Faders: 13	Illuminated soft buttons
Dust cover	Power input: 110 to 240 VAC	Width: 570mm (22.5")
Depth: 405mm (15.9")	Height: 110mm (4.3")	Weight: 8kg (17.5lb)



## MagicQ MQ60 Compact Console

MagicQ MQ60 is part of the generation of small and lightweight MagicQ Consoles specifically designed for travelling lighting designers. The MagicQ MQ60 fits within the hand luggage restrictions of all the major budget airlines including Ryanair, Easyjet and South West.

While maintaining a small form factor, it has room to grow. There are four patchable direct DMX outputs on the rear panel and a total of 12 universes supported for direct output over Ethernet via protocols such as; Art-Net, sACN, Pathport, and Strand Shownet.

The console features an in-built ups which protects both the console and the Ethernet switch in case of power fail.

It has low power consumption and does not require a cooling fan - enabling silent operation for broadcast, theatrical, and corporate shows.

With built-in MIDI input and output, and an audio input for synchronization, the MagicQ MQ60 provides many options for integration with show control and audio systems.

Because MagicQ MQ60 uses the same software as all of our control consoles, files programmed on it can be loaded and played back on any of them (within the universe limits). Likewise, files created on one of the other models can be saved and played back on the MQ60. This scalability is one of the core design principles for all of ChamSys lighting controllers. Show files are forward and backward compatible across software release versions and new features are regularly added to the software.



CHAMMQ60

Optional Flight Case  
See page 22

<b>Universes: 12 (up to 64 in net wing mode with additional PC/Mac)</b>	<b>Channels: 6144</b>	<b>Number of fixtures: Up to 6144</b>
<b>Cues: 5000</b>	<b>Cue stacks: 2000</b>	<b>Palettes: 4096</b>
<b>Groups: 5000</b>	<b>Numbers of shows: Virtually unlimited</b>	<b>Faders: 12</b>
<b>Direct DMX ports: 4</b>	<b>Network ports: 4</b>	<b>External monitor: 1</b>
<b>Rear panel USB ports: 4</b>	<b>Front panel USB port: 1</b>	<b>Audio input (1 channel, 7 band)</b>
<b>RS232</b>	<b>Remote contact switch</b>	<b>MIDI Notes in/out</b>
<b>Encoders: 8</b>	<b>Power input: 110 to 240 VAC</b>	<b>Width: 525mm (20.7")</b>
<b>Depth: 385mm (15.2")</b>	<b>Height: 140mm (5.5")</b>	<b>Weight: 6.5kg (14.3lb)</b>



## MagicQ MQ40N Compact Console

MagicQ MQ40N is the ideal console for small sized venues in need of advanced lighting control.

The console is based on the same ARM chip technology used in modern phones and tablets, so it has very low power consumption and does not require a fan - enabling silent operation for theatrical and corporate shows.

MagicQ MQ40N is simple and easy to use for installations, clubs, and schools while still featuring advanced features such as MagicVis and MagicHD connectivity. It uses the same software and show formats, enabling compatibility between all products in the MagicQ range.

For outputs, MagicQ MQ40N supports a total of 4 universes either by direct DMX ports on the rear panel or via network protocols such as Artnet or sACN. It can also be connected via network to a PC or Mac running ChamSys free MagicVis lighting visualisation software for full visualisation of all the universes at no extra cost.

MagicQ MQ40N can be connected via network to a PC or Mac running ChamSys free MagicHD media player software for output of up to 8 layers of HD media.

MagicQ MQ40N incorporates high reliability components, including durable metal Neutrik connectors. A compact console that lets you control lighting, video and LED pixels is a versatile piece of kit. Because of its size and full range of features, the MagicQ MQ40N also makes an ideal "tech console" for testing equipment or a full rig on stage or in the warehouse.



CHAMMQ40N

Optional Flight Case  
See page 22

<b>Universes: 4</b>	<b>Channels: 2048</b>	<b>Number of fixtures: Up to 2048</b>
<b>Cues: 5000</b>	<b>Cue stacks: 2000</b>	<b>Palettes: 4096</b>
<b>Groups: 5000</b>	<b>Numbers of shows: Virtually unlimited</b>	<b>Encoders: 8</b>
<b>Faders: 12</b>	<b>Rear panel USB ports: 4</b>	<b>Audio input (1 channel, 7 band): Yes</b>
<b>Network ports: 1</b>	<b>Display ports: 1 VGA (fixed resolution 1024x768, non touch)</b>	<b>1 Dual Colour Dimmable LED Console Lamp</b>
<b>Dust cover: 1</b>	<b>Power input: 110 to 240 VAC</b>	<b>Width: 525mm (20.7")</b>
<b>Depth: 385mm (15.2")</b>	<b>Height: 140mm (5.5")</b>	<b>Weight: 6.5kg (14.3lb)</b>



CHAMPCWINGCOMPACT

Optional Flight Case  
See page 23

## MagicQ PC Wing Compact

The MagicQ PC Wing Compact is a powerful USB control wing for connecting to your PC or Mac to control lighting, video, and LED with the MagicQ PC software. MagicQ PC software runs under Windows, Linux, or OSX.

Small enough to fit within hand-luggage restrictions, the powerful MagicQ PC Wing Compact is packed with features. It has 2 built-in DMX512 outputs, and can output up to 64 universes (via Ethernet) without the need for additional licenses or dongles. The design of the MagicQ PC Wing Compact provides quick access to fixture parameters via the 8 rotary encoders, as well as live show control through the 10 playback faders and cue stack control buttons.

The MagicQ PC Wing is ideal for use by touring Lighting Designers, or for installing into theatres, clubs, and venues. This affordable solution allows you to create a powerful lighting console with the addition of a personal computer.

MagicQ software includes the free MagicVis visualizer enabling simple visualization of all 64 universes of lighting control. MagicQ software also includes the free MagicHD media player enabling playback of up to 8 layers of HD media through your PCs, or Macs, 2nd monitor port.

<b>Universes: 64</b>	<b>Channels: 32768</b>	<b>Number of fixtures: Up to 32768</b>
<b>Cues: 5000</b>	<b>Cue Stacks: 2000</b>	<b>Palettes: 3096</b>
<b>Groups: 5000</b>	<b>Direct DMX512 ports: 2</b>	<b>USB ports: 5 (4 output, one input)</b>
<b>Audio input: 1 channel (3.5mm jack)</b>	<b>1 Dual Colour Dimmable LED Console Lamp</b>	<b>Remote trigger input: 1</b>
<b>Security lock fixing: 1</b>	<b>In-built Power Supply: 110 to 240 VAC</b>	<b>Encoders: 8</b>
<b>Faders: 12</b>	<b>Buttons: 71</b>	<b>Height (to encoders): 88mm (3.3")</b>
<b>Weight: 3.6kg (7.9lb)</b>	<b>Width: 515mm (20.2")</b>	<b>Depth: 257mm (10.1")</b>
<b>Height (to back): 84mm (3.3")</b>		



CHAMEXTRAWINGCOMPACT

Optional Flight Case  
See page 23

# MagicQ Extra Wing Compact

The Extra Wing Compact is designed to allow users of MagicQ to extend the number of physical playbacks available to them. It has a total of 24 playbacks, made up of 12 fader and 12 executable playbacks.

Each section of playbacks can page through multiple playbacks via its own Next and Previous page buttons. The 12 playback faders feature Flash, Go, and Select buttons, while the other 12 are more space-saving, employing a Select and Execute button for each playback. All playbacks feature LCD displays for playback legending directly above each playback.

The Extra Wing Compact is a modular expansion device for the ChamSys MagicQ systems. It features an internal USB hub which enables multiple Extra Wings to be connected together. Other rear panel connections include a locking Neutrik Powercon connector, a USB socket for connection to the main MagicQ system, and a working light socket.

LCD Displays: 6		Fader Playbacks: 12	Executor Playbacks: 12
1 Dual Colour Dimmable LED Console Lamp		Power Supply: 110 to 240 VAC	Width: 515mm (20.3")
Depth: 257mm (10.1")		Height (to back): 84mm (3.3")	Height (to faders): 88mm (3.4")
Weight: 3.6kg (7.9lb)			



CHAMMINIWING

## MagicQ Mini Wing

The MagicQ Mini Wing is a lightweight and portable USB control wing that allows the user to have physical playback control over their show. The Mini Wing is compatible with Windows, OSX or Linux computers, coupled with the powerful MagicQ software.

Working through USB connection for power and data, the Mini Wing turns your computer that is running the MagicQ software into a powerful engine for control lighting, video, and LEDs. The software is free with the Mini Wing's single DMX output port, and with 64 universes enabled for output over Ethernet, even large show can be realised with a small amount of space and a modest investment of computer equipment.

The MagicQ Mini Wing provides a powerful PC based wing solution, ideal for theatres, clubs, and venue installations. It also provides a cost-effective backup solution for customers who have larger MagicQ consoles, controlling lighting, video and LEDs. It combines the power of the MagicQ software with real faders and button.

Universes: 64	Channels: 32768	Number of fixtures: Up to 32768
Cues: 5000	Cue Stacks: 2000	Palettes: 3096
Groups: 5000	Direct DMX512 ports: 1	Power Supply: USB powered
Width: 260mm (10.2")	Depth: 184mm (7.2")	Height: 50mm (1.9")
Weight: 2kg (4.4lb)	Faders: 11	Buttons: 35
Security lock fixing: 1		



# MagicQ Compact Console

## Feature Set

	MQ80	MQ60	MQ40N
Universes	24	12	4
Network ports	4	4	1
USB ports	6	5	4
UPS	Yes	Yes	No
Ext monitor	1 (can be touch)	1 (can be touch)	1
Audio input	Yes	Yes	Yes
Remote input	Yes	Yes	No
MIDI notes support	Yes	Yes	No
Timecode support	Yes	No	No
Connection to MagicQ USB Wings & Interfaces	Yes, all	Extra Wing Compact	Extra Wing Compact
Pixel Mapping	Yes	Yes	Yes
Media Servers	50	50	1 (MagicHD only)
ArtNet, ACN, Pathport output via network	Yes	Yes	Yes
Net connection to MagicVis, MagicHD	Yes	Yes	Yes
Multi Windows via network	Yes	Yes	No
Remote control via iOS/Android app (user WIFI router)	Yes	Yes	Yes
Net connection to 3rd party media servers	Yes	Yes	No
Multi Console support	Yes	Yes	No
ChamSys Ethernet Remote Protocol	Yes	Yes	No
ChamNet control	Yes	Yes	No
Net Wing mode	Yes	Yes	No

**MagicQ software offers powerful lighting control with loads of features such as a full lighting visualisation, pixel mapping, and HD media playback.**



## MagicQ Software (Free)

Contemporary lighting fixtures are complex objects, often with a great many moving parts. A console that has to control all these parameters needs more than just a lot of power. It needs to have clever labor-saving techniques that make the programmer's job easier and makes a successful show more repeatable. MagicQ software rises to the occasion offering powerful lighting control on up to 64 universes with loads of features that lighting designers have come to rely on, such as full lighting visualisation, pixel mapping, and HD media playback on up to 8 different layers, all integrated smoothly to streamline workflows, save time, and shorten learning curves on even the most complex lighting systems.

Download for FREE at [Chamsyslighting.com/magicq](http://Chamsyslighting.com/magicq)



Windows



Mac Intel



Ubuntu (64bit)



Pro 2010



Stadium, Pro 2014  
& MQ Compact




## MagicHD Media Player

MagicHD is a powerful Media Player that is seamlessly integrated with MagicQ software and MagicVis visualiser. MagicHD has been designed to make programming and operating of combined lighting and media shows simple and easy.



## MagicVis Visualisation

MagicVis is a powerful visualisation system fully integrated with ChamSys free MagicQ software to enable lighting designers to pre-visualise their shows, to program blind, and to generate rigging paperwork, including plots and patch lists.



## MagicQ Remote

MagicQ software includes in-built support for use with the FREE MagicQ Remote apps, which can be used on iOS and Android phones and tablets. The FREE remote app are available on the Apple App Store and Google Play Store. The apps allow remote focus, control and playback of MagicQ consoles and PC Wings.



**We know that reliability is crucial. That's why we offer tons of helpful information and training opportunities from ChamSys Training Academy, Community Forum, Support Lines, and Online Manuals.**



## **Free Online Training Tutorials**

Learn on your clock. Sign-in to access the video library and learn how to program with MagicQ in no time!

## **Free Weekly Online Training Sessions**

Sign-up for a 20 minute slot on a topic of your choice. Online sessions are hosted every Thursday from 2pm – 3pm (EST).

## **In-person Training Courses**

Find out when the next in-person training opportunity is near you. We offer courses in different cities and trade shows throughout the year.





## ChamSys Offers 24/7 Support

Sales + Support (772) 410-5762

Email Support [support@chamsysusa.com](mailto:support@chamsysusa.com)

Returns and Repairs [service@chamsysusa.com](mailto:service@chamsysusa.com)

### Personality Requests:

ChamSys offers an extensive personality library of over 24,000 files that our developers update daily. We have the fastest response rate to personality requests in the industry.



Join the Conversation. Social media is a great place to ask questions and connect with ChamSys users:



Access online manuals and our community forum at:  
[Chamsyslighting.com/support](http://Chamsyslighting.com/support)

Set up an account to watch informative tutorials or register for an engaging in-person training course today at:

[Chamsyslighting.com/training](http://Chamsyslighting.com/training)



PTZ16MAGICDMXBASIC

## MagicDMX

MagicDMX is a low cost, single universe USB DMX interface, compatible with MagicQ running under Windows, Mac, or Linux computers.

It doesn't use any special drivers for the device, so you can just plug and play. MagicDMX defaults to outputting on Universe 1 from the MagicQ software, but can test any universe.



PTZ16MAGICDMXTESTKIT

## MagicDMX Full Test Kit

The MagicDMX Full Test Kit is a complete DMX test kit including a MagicDMX Full interface together with XLR adapters and MagicQ USB sticks in a handy ChamSys zip bag.

MagicDMX Full is not time limited and can be used continuously. The adapters enable DMX output on 5 pin XLR or 3 pin XLR and DMX input on 5 pin XLR or 3 pin XLR. The MagicQ USB Sticks have been proven to work with all current MagicQ consoles.

### Kit includes:

- MagicQ DMX Full with 5 pin female XLR
- 5 pin male XLR to 5 pin male XLR
- 5 pin male XLR to 3 pin female XLR
- 3 pin male XLR to 5 pin female XLR
- Two MagicQ USB sticks
- Handy ChamSys zip bag



PTZ16MAGICDMXBASIC

## MagicDMX Basic

The MagicDMX Basic interface is aimed at users wishing to evaluate and learn MagicQ, technicians wishing to test fixtures, as well as students wishing to learn lighting in schools and colleges. MagicDMX Basic supports output of a full DMX universe via a 3 pin female XLR connector.

MagicDMX Basic is time limited to 5 hours continuous usage. After this time, it is necessary to replug the device and to restart the MagicQ software.

### Features:

- USB connector
- Single DMX output - 3 pin
- Max session 5 hrs
- Basic electrical protection
- LED status indicator
- Does not unlock 'demo mode'



PTZ16MAGICDMXFULL

## MagicDMX Full

The MagicDMX Full interface is aimed at Professional users wishing to have uninterrupted DMX lighting control for shows and installations. The MagicDMX Full provides a great lighting troubleshooting system.

It can be configured to either output or input a single universe of DMX, but unlike the MagicDMX Basic interface, MagicDMX Full is not time limited and can be used continuously. MagicDMX Full outputs DMX via a 5 pin female XLR connector. If you want to use the MagicDMX interface in DMX input mode, a gender reverser is required.

### Features:

- USB connector.
- Single DMX output or input - 5 pin  
(input requires separately sold gender reversing adapter)
- No time restrictions
- Basic electrical protection
- LED status indicator
- Does not unlock 'demo mode'



CHAMUSB2UNIVDMX512

## MagicQ Two Universe DMX Interface

A professional level solution to the question of how to get DMX outputs from a PC to a lighting rig is the MagicQ Two Universe DMX Interface. It is still very economical and provides flexible and small form-factor options to a range of system designs.

In its most common application, MagicQ Two Universe DMX Interface performs just as the name implies, it provides two DMX universes to MagicQ PC, MagicQ Mac, and MagicQ consoles. Connection is via USB and provides two independent DMX512 and electrically isolated outputs, protecting against damage to your PC. The outputs can be patched to any of the 64 Universes available in the MagicQ software, so building a medium-sized system out of several copies of this device is a viable strategy.

DC power to operate this interface is normally provided through the USB port of the host, but a separate 12 volt power input socket is provided as well, for PCs with a lower power USB supply.

This interface can also be used with MagicQ consoles to provide additional DMX outputs, making it a simple and easy to set up configuration when just a couple more universes is enough to get the job done.

MagicQ Two Universe DMX Interface unlocks the restricted features of MagicQ such as full screen Execute Window, iOS/Android remote and remote control.

	<b>Twin isolated DMX512 Outputs</b>	<b>USB connection to MagicQ PC or Mac</b>
	<b>Powered from USB or input jack</b>	<b>Supplied with USB cable</b>
	<b>Connects via USB and provides two independent DMX512 interfaces</b>	<b>The two DMX outputs are optically isolated from the USB to protect against damage to your PC</b>
	<b>Highly accurate DMX framing is possible with full 512 bytes frames</b>	<b>USB ports: 5 (including 1 on front panel for easy access)</b>
	<b>In normal operation the interface is powered from the USB port</b>	<b>A separate 12 volt power input socket is provided for connection to low power USB ports</b>
	<b>Depth: 81mm (3.2")</b>	<b>Height: 48mm (1.9")</b>
	<b>Weight: 0.25kg (0.5lb)</b>	<b>Width: 130mm (5.2")</b>



## Rack Mount Dongle

MagicQ Rack Mount Dongle is a USB Dongle that unlocks restricted features in MagicQ Software and MagicHD Media Player. It is most often used when the system is going into a rack mount computer and will not be including other ChamSys products.



CHAMRACKDONGLE

### Features:

- Stand alone MagicHD mode - 8 layers
- Scheduled Events
- Remote control (via iOS, Android, PC, Mac)
- Audio Input
- Full Screen Execute
- Web Server editing (viewing is supported)
- Autostarting Playbacks
- Playback Synchronisation
- Multi Programming
- Triggering of playbacks using DMX input
- USB-MIDI Support within MagicQ

Protect your  
consoles during  
transportation  
with our  
available  
MagicQ flight  
cases and  
padded bags.



### **MagicQ MQ80 Flight Case**

**Weight:** 12kg (26.4lb)

**Dimensions:** 660 x 505 x 235mm (25.9 x 19.8 x 9.2inch)

CHAMFCMQ80WHEELS



### **MagicQ MQ60, MQ40N Flight Case**

**Weight:** 8.5kg (18.7lb)

**Dimensions:** 600 x 520 x 240mm (23.6 x 20.4 x 9.4inch)

CHAMFCMQ40MQ60



### **MagicQ MQ500 Stadium Console Flight Case**

**Weight: 22kg (48.5lb)**

**Dimensions: 940 x 670 x 290mm (37 x 26 x 11.4inch)**

CHAMMQ500200WITHCASE



### **MagicQ Extra Wing, PCWing Compact Flight Case**

**Weight: 6kg (13.2lb)**

**Dimensions: 750 x 370 x 220mm (29.5 x 14.5 x 8.6inch)**

CHAMFCEXTRAWING



### **MagicQ Stadium Wing**

**Weight: 13kg (28.6lb)**

**Dimensions: 590 x 670 x 290mm (23.2 x 26.3 x 11.4inch)**

CHAMPBMQ40MQ60



### **MagicQ MQ60, MQ40N Padded Bag**



Chamsyslighting.com

---

**United States**

**Headquarters**

5200 N.W. 108th Avenue  
Sunrise, FL 33351  
USA

**West Coast Branch**

7555 N San Fernando Road  
Burbank, CA 91505  
USA

**United Kingdom**

**Head Office**

Unit 3B Richmond Works  
Pitt Road  
Southampton  
SO15 3FQ  
United Kingdom

For complete specifications, visit [Chamsyslighting.com](http://Chamsyslighting.com). Specifications are subject to change without notice.