SAFETY DATA SHEET



1. Identification

Product identifier	Molecular Fog Fluid			
Other means of identification	Not available.			
Recommended use	Theatrical Fog			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/ Manufacturer	Distributor information			
Company name Address	Ultratec Special Effects 1960 Blue Heron Drive London ON			
	N6H 5L9 Canada			
Telephone	Local: Toll Free:	1-519-659-7972 1-800-388-0617		
Website	www.ultratecfx.com			
E-mail	customerservice@ultratecfx			
Emergency phone number	ChemTel:	1-800-255-3924		
Supplier	See above.			
	2. Hazaro	d identification		
Physical hazards	Not classified.			
lealth hazards	Not classified.			
Environmental hazards	Not classified.			
VHMIS 2015 defined hazards	Not classified			
abel elements				
Hazard symbol	None.			
Signal word	None.			
Hazard statement	The mixture does not meet	the criteria for classifi	cation.	
Precautionary statement				
Prevention	Observe good industrial hygiene practices.			
Response	Wash hands after handling.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of waste and reside	Dispose of waste and residues in accordance with local authority requirements.		
WHMIS 2015: Health Hazard(s) not otherwise classified HHNOC)	None known			
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known			
Hazard(s) not otherwise classified (HNOC)	None known.			
Supplemental information	Not applicable.			
	3. Composition/Inf	ormation on ing	redients	
Mixture				
Chemical name	Common name and s	ynonyms	CAS number	%
1,2-Propanediol			57-55-6	80-100*
Composition comments	US GHS: The exact percen secret in accordance with p *CANADA GHS: The exact trade secret.	aragraph (i) of §1910	.1200.	

4. First-aid measures		
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.	
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation develops or persists.	
Eye contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention if irritation develops or persists.	
Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious or is convulsing.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber	

gloves and safety glasses with side shields. Keep out of reach of children. 5. Fire-fighting measures		
Unsuitable extinguishing media	Not available.	
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.	
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self-contained breathing apparatus.	
Fire-fighting equipment/instructions	Cool containers with flooding quantities of water until well after fire is out.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
Hazardous combustion products	May include and are not limited to: Oxides of carbon.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
	7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.	
Conditions for safe storage, including any incompatibilities	Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.	
8. Exposure controls/Personal protection		

ccupational exposure limits Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)			
Components	Туре	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	155 mg/m3	Vapor and aerosol.

Components	Туре	Value	Form
		10 mg/m3	Aerosol.
		50 ppm	Vapor and aerosol.
US. Workplace Environme	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
ological limit values	No biological exposure limits noted for th	e ingredient(s).	
xposure guidelines	Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.		
opropriate engineering ontrols	General ventilation normally adequate.		
dividual protection measure	s, such as personal protective equipment		
Eye/face protection	Safety glasses recommended.		
Skin protection			
Hand protection	If there is constant skin contact, rubber gloves are recommended.		
Other	As required by employer code.		
Respiratory protection	Not normally required if good ventilation is maintained. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.		
Thermal hazards	Not available.		
eneral hygiene onsiderations	Wash hands before breaks and immedia good industrial hygiene and safety practi		

9. Physical and chemical properties

Appearance	Clear
Physical state	Liquid.
Form	Liquid
Color	Colorless
Odor	no odour
Odor threshold	Not available.
рН	Neutral
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	(H2O = 1)
Partition coefficient (n-octanol/water)	Not available.
Flash point	> 217.4 °F (> 103.0 °C) Tag Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 (Air = 1)
Relative density	1.04
Solubility(ies)	Complete

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

Reactivity	May react with incompatible materials.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable.
Conditions to avoid	Avoid temperatures exceeding the flash point. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

information on likely routes of exposure	on likely routes of exposure
--	------------------------------

Ingestion	May cause stomach distress, nausea or vomiting.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	No adverse effects due to eye contact are expected.
Symptoms related to the physical, chemical and toxicological characteristics	There are no hazards associated with this product in normal use.

Information on toxicological effects

Acute	toxicity
-	

Components	Species	Test Results	
1,2-Propanediol (CAS 57-55-6)			
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA	
Inhalation			
LC50	Rabbit	> 317042 mg/m3, 2 Hours, ECHA	
Oral			
LD50	Rat	22000 mg/kg, ECHA	
Skin corrosion/irritation	Not expected to be a primary skin irritant. Prolonged skin contact may cause temporary irritation.		
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.		
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.		
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1052)		
Not listed.			
Reproductive toxicity	Non-hazardous by WHMIS/OSHA criteria.		

Teratogenicity	Non-hazardo	ous by WHMIS/OSHA criteria.			
Specific target organ toxicity - single exposure	Not classified.				
Specific target organ toxicity - repeated exposure	Not classified	d.			
Aspiration hazard	Not classified	Not classified.			
Chronic effects	Non-hazardo	ous by WHMIS/OSHA criteria.			
		12. Ecological information			
Ecotoxicity	Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.				
Ecotoxicological data Components		Species	Test Results		
1,2-Propanediol (CAS 57-55-6)					
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours		
Aquatic					
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/L, 48 hours		
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/L, 96 hours		
Persistence and degradability	No data is av	No data is available on the degradability of this product.			
Bioaccumulative potential	No data avai	lable.			
Mobility in soil	No data avai	lable.			
Mobility in general	Not available	<u>.</u>			
Other adverse effects		verse environmental effects (e.g. ozone depl			
	potential, end	docrine disruption, global warming potential)) are expected from this component.		
		13. Disposal considerations			
Disposal instructions		ral, state/provincial, and local government re spose in sealed containers at licensed waste			
Local disposal regulations	Dispose in a	ccordance with all applicable regulations.			
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).				
Contaminated packaging		iners should be taken to an approved waste ed containers may retain product residue, fol			
		14. Transport information			
Transport of Dangerous Goods (TDG) Proof of Classification	Dangerous G	n Method: Classified as per Part 2, Sections Goods Regulations. If applicable, the technic appear below.			
U.S. Department of Transportati	on (DOT)				
Not regulated as dangerous g					
Transportation of Dangerous Go	oods (TDG - C	anada)			
Not regulated as dangerous g	joods.				
		15. Regulatory information			
Canadian federal regulations		has been classified in accordance with the he information required by the HPR.	hazard criteria of the HPR and the SDS		
Export Control List (CEPA 1	999, Schedule	e 3)			
Not listed.					
Greenhouse Gases					
Not listed. Procursor Control Population	200				
Precursor Control Regulation	л15				
Not regulated.	Not applicable				
WHMIS 2015 Exemptions	Not applicable This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard				
US federal regulations		ion Standard, 29 CFR 1910.1200.	as domed by the Oor in Hazard		

TSCA Section 12(b) Export	Notification (40 CFR 707, Sub	opt. D)
Not regulated.		
CERCLA Hazardous Substa	ance List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency relea	se notification	
Not regulated.		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.	1001-1052)
Not listed.		
Superfund Amendments and Re	authorization Act of 1986 (SA	ARA)
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutan	ts (HAPs) List
Not regulated.		
Clean Air Act (CAA) Section	n 112(r) Accidental Release P	revention (40 CFR 68.130)
Not regulated.		
US state regulations	This product does not contai defects or other reproductive	n a chemical known to the State of California to cause cancer, birth harm.
US - Minnesota Haz Su	bs: Listed substance	
1,2-Propanediol (CA	NS 57-55-6)	Listed.
US - Texas Effects Scre	eening Levels: Listed substar	nce
1,2-Propanediol (CA	\S 57-55-6)	Listed.
US. New Jersey Worke	r and Community Right-to-Kr	now Act
1,2-Propanediol (CA	\S 57-55-6)	
US. Pennsylvania Work	ker and Community Right-to-I	Know Law
1,2-Propanediol (CA	\S 57-55-6)	
US. Rhode Island RTK		

1,2-Propanediol (CAS 57-55-6)

US. California Proposition 65

Not Listed.

Inventory status

Country(s) or region	Inventory name On inv	entory (yes/no)*		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)				

LEGEND HEALTH 1 1 FLAMMABILITY 1 Severe 4 1 0 Serious 3 0 PHYSICAL HAZARD Moderate 2 Slight 1 PERSONAL Х 0 Minimal PROTECTION Disclaimer The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. Issue date 31-March-2022

16. Other information

Version #	02
Effective date	23-March-2022
Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021
Further information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.