

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 10°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 10° x 20°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 10° x 30°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 10° x 40°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 10° x 60°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 15° x 35°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 15° x 45°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 20°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)



# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 20° x 40°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 30°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)

# Certificate of Conformity

Date : 10/11/2018  
Product : OPTI-SCULPT™ - 40°/60° Reversible

This letter shall certify that the listed Rosco product conforms to the specifications as provided below.  
For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: [www.rosco.com](http://www.rosco.com)

## Colour Specifications

As per attached Specification Sheet  
Color Tolerance:  $\Delta E = N/A$

## Material Specifications

General Description: Extruded Polycarbonate Film  
Substrate: PC (Polycarbonate)  
Thickness: 10.0 mil (.3937" or 9999.98 microns)  
Manufactured in: U.S.A.  
Available Sizes:  
20 in. x 24 in. sheets (50cm x 60cm)  
20 in. x 40 in. sheets (50cm x 100cm)

Certified By : Product Division  
Rosco Laboratories, Inc.  
[info@rosco.com](mailto:info@rosco.com)