

SAFETY DATA SHEET

1. Identification

Product identifier Quick Dissipating Fog Fluid

Other means of identification Not available. Recommended use Theatrical Fog Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Ultratec Special Effects Company name 1960 Blue Heron Drive **Address**

> London ON N6H 5L9 Canada

Telephone Local: 1-519-659-7972 Toll Free: 1-800-388-0617

Website www.ultratecfx.com

customerservice@ultratecfx.com E-mail

Emergency phone number ChemTel: 1-800-255-3924

See above. Supplier

2. Hazard identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. WHMIS 2015 defined hazards Not classified

Label elements

Hazard symbol None Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Observe good industrial hygiene practices. Prevention

Wash hands after handling. Response

Storage Store away from incompatible materials.

Dispose of waste and residues in accordance with local authority requirements. Disposal

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

Mixture

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on ingredients

Chemical name Common name and synonyms **CAS** number

1,2-Propanediol 57-55-6 45-70* US GHS: The exact percentage (concentration) of composition has been withheld as a trade **Composition comments**

secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

%

#26303 Page: 1 of 7 Issue date 31-March-2022 4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Flush with cool water. Wash with soap and water. Obtain medical attention if irritation develops or Skin contact

persists.

Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for Eye contact

15 minutes. Obtain medical attention if irritation develops or persists.

Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain Ingestion

medical attention. Never give anything by mouth if victim is unconscious or is convulsing.

Most important

General information

symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special Treat symptomatically.

treatment needed

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

Firefighters should wear full protective clothing including self-contained breathing apparatus.

Use standard firefighting procedures and consider the hazards of other involved materials.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol foam. Carbon dioxide. Water Fog. Dry chemical.

Not available.

Specific hazards arising from

the chemical

Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters

Fire-fighting

equipment/instructions

Cool containers with flooding quantities of water until well after fire is out.

Specific methods General fire hazards

No unusual fire or explosion hazards noted.

Hazardous combustion

products

May include and are not limited to: Oxides of carbon.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure.

Use good industrial hygiene practices in handling this material.

When using do not eat or drink.

Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form	
1,2-Propanediol (CAS	TWA	155 mg/m3	Vapor and aerosol.	

Page: 2 of 7 Issue date 31-March-2022 #26303

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
		10 mg/m3	Aerosol.
		50 ppm	Vapor and aerosol.
US. Workplace Environmental	Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
1,2-Propanediol (CAS	TWA	10 mg/m3	Aerosol.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Exposure guidelines Chemicals listed in section 3 that are not listed here do not have established limit values for

ACGIH or OSHA PEL.

Appropriate engineering

controls

57-55-6)

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses recommended.

Skin protection

If there is constant skin contact, rubber gloves are recommended. **Hand protection**

As required by employer code. Other

Not normally required if good ventilation is maintained. Where exposure guideline levels may be Respiratory protection

exceeded, use an approved NIOSH respirator.

Thermal hazards

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with

good industrial hygiene and safety practice. When using do not eat or drink.

9. Physical and chemical properties

Clear **Appearance** Physical state Liquid. **Form** Liquid Color Colorless Odor no odour **Odor threshold** Not available. Neutral рН Not available. Melting point/freezing point Initial boiling point and boiling Not available. range

Not available. Pour point Not available. Specific gravity Not available. Partition coefficient

(n-octanol/water)

Flash point > 217.4 °F (> 103.0 °C) Tag Closed Cup

Evaporation rate Not available. Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available.

Vapor density > 1 (Air = 1)1.024 (H2O = 1)Relative density

Solubility(ies) Complete

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

10. Stability and reactivity

May react with incompatible materials. Reactivity

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Stable. **Chemical stability**

Avoid temperatures exceeding the flash point. Do not mix with other chemicals. Conditions to avoid

Incompatible materials Acids. Oxidizers.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting. Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact No adverse effects due to eye contact are expected.

Symptoms related to the physical, chemical and toxicological characteristics

There are no hazards associated with this product in normal use.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
1,2-Propanediol (CAS 57-55	5-6)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rabbit	> 317042 mg/m3, 2 Hours, ECHA
Oral		

Skin corrosion/irritation Not expected to be a primary skin irritant. Prolonged skin contact may cause temporary irritation.

22000 mg/kg, ECHA

Exposure minutes Not available. Erythema value Not available. Not available. Oedema value

Serious eye damage/eye

LD50

irritation

Direct contact with eyes may cause temporary irritation.

Not available. Corneal opacity value Iris lesion value Not available. Not available. Conjunctival reddening

value

Recover days

Conjunctival oedema value Not available. Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

This product is not expected to cause skin sensitization. Skin sensitization

Non-hazardous by WHMIS/OSHA criteria. Mutagenicity Non-hazardous by WHMIS/OSHA criteria. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity Non-hazardous by WHMIS/OSHA criteria. **Teratogenicity** Non-hazardous by WHMIS/OSHA criteria.

EC50

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Chronic effects Non-hazardous by WHMIS/OSHA criteria.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

10000 mg/L, 48 Hours

Ecotoxicological data

Components Species Test Results
1,2-Propanediol (CAS 57-55-6)

Daphnia

Crustacea

Aquatic

Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/L, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/L, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Review federal, state/provincial, and local government requirements prior to disposal. Collect and

reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

US state regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

defects or other reproductive harm.

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.

US - Texas Effects Screening Levels: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.

US. New Jersey Worker and Community Right-to-Know Act

1,2-Propanediol (CAS 57-55-6)

US. Pennsylvania Worker and Community Right-to-Know Law

HEALTH

1,2-Propanediol (CAS 57-55-6)

US. Rhode Island RTK

1,2-Propanediol (CAS 57-55-6)

US. California Proposition 65

Not Listed.


Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





This product does not contain a chemical known to the State of California to cause cancer, birth

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 31-March-2022 Version # 02

Effective date 23-March-2022

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.